

THE
WONDER
OF
SUSTAINABILITY.

ENNE
di NOBILI



Abc, 18



Blues, 12



Sand, 26



Sky, 32



New Road, 38

Enne di Nobili bathroom products are characterised by a strong focus on water and energy efficiency: the Nobili Widd® immersion cartridge, designed and manufactured in house and guaranteed for life, represents the most advanced and concrete promise of our brand's reliability.

I prodotti bagno Enne di Nobili sono contraddistinti da una marcata focalizzazione sui temi dell'efficienza idrica ed energetica: la cartuccia a immersione Nobili Widd®, progettata e realizzata internamente e garantita a vita, rappresenta la più avanzata e concreta promessa di affidabilità del nostro marchio.



Eco-friendly packaging



Use of renewable energy




NIT, Nobili Institute of Technology

Our home is the most accurate and faithful reflection of our vision. This is why it is constantly evolving, becoming more and more spacious, environmentally friendly and innovative. A location suitable for technology and business progress that also meets our people's needs: this is the production centre in Suno and, like everything we do, there is wonder in every part of it.

La nostra casa è il riflesso più accurato e fedele della nostra visione. Per questo è in continua evoluzione: sempre più spaziosa, ecologica e innovativa. Una sede che asseconda la tecnologia, i progressi aziendali e le esigenze delle nostre persone: è il centro produttivo di Suno e, come tutto ciò che facciamo, è improntato alla meraviglia.

Laboratory



Turning centre



Grinding



Foundry




Plastic moulding



Washing



Chromium plating



Polishing

PVD finishes

Made in Italy excellence. Since the first stone of the Suno plant was laid, our objective was the in-house execution of every phase of the tap manufacturing process. This aim has now been successfully achieved. The total control of each production phase has allowed us to raise the quality of our products, intervening in every detail and process.

Eccellenza made in Italy. Fin dalla posa della prima pietra dello stabilimento di Suno, abbiamo avuto l'obiettivo di internalizzare tutte le fasi di lavorazione del rubinetto: un progetto che oggi è realtà. Il controllo totale di ogni fase produttiva ci ha permesso di aumentare la qualità dei nostri prodotti, intervenendo in ogni più piccolo dettaglio e processo.

Assembly and testing



Storage and shipments



Brass mixing rod

Temperature limiter



Ultem™ 2200



Ceramic plates



Flow rate limiter



Discover the Total reliability

Our product expresses maximum technological innovation at the service of quality of life and respect for the environment. It tells of the use of first-class materials processed through state-of-the-art processes, which is why we are proud to guarantee our 28 and 35 millimeters Nobili Widd® cartridges for life.

Il nostro prodotto esprime la massima innovazione tecnologica al servizio della qualità della vita e del rispetto ambientale. Racconta l'utilizzo di materiali di prim'ordine lavorati attraverso processi all'avanguardia: per questo siamo orgogliosi di garantire a vita le nostre cartucce Nobili Widd® da 28 e 35 millimetri.





Npi Italia Parinox® Softpex® hoses



Neoperl® aerator with 5 l/min limited flow rate



Snap washbasin drain



Quick and easy assembly

All the Enne di Nobili lines promote a zero environmental impact philosophy: the 5 l/min aerator is combined with cold water flowing when the tap is turned on, which means the boiler does not activate and no combustion fumes are released into the atmosphere. High-performance components guarantee total reliability and ease of installation.

Tutte le linee Enne di Nobili promuovono una filosofia a impatto zero per l'ambiente: l'aeratore con portata limitata a 5 l/m è abbinato all'apertura in acqua fredda, in grado di evitare l'accensione della caldaia e l'immissione di fumi di combustione nell'atmosfera. Componentistica altamente performante garantisce la più totale affidabilità e facilità di installazione.

Shower heads with reduced flow rate



Plastic hose with metallic look



Grids for floor



Plastic box

Each collection can be accompanied by shower components designed to combine maximum well-being and high water savings, like the shower head with a flow rate reduced to 7 litres per minute. Ideal for installing on plasterboard walls, the plastic box dedicated to the 2 ways flush-fit single-control mixer allows to create optimal solutions regardless of the kind of wall.

Ogni collezione può essere accompagnata da componenti doccia pensati per coniugare massimo benessere ed elevato risparmio idrico, come il soffione con portata ridotta a 7 litri al minuto. Ideale per il montaggio su pareti in cartongesso, la scatola in plastica dedicata al monocomando incasso a 2 vie, permette di creare soluzioni ottimali indipendentemente dalla tipologia di parete.





Blues

Green geometry



[Learn more](#)

Extrovert geometrical patterns and a brilliant heart go hand in hand. A meeting of pure and expressive lines to celebrate the best ergonomics, a bold synthesis of the water element, through a strongly expressive gesture: the Nobili Widd® total immersion cartridge is a guarantee of absolute reliability and maximum environmental sustainability.

Geometrie estroverse e cuore brillante dialogano alla pari. Un incontro tra linee pure ed espressive per celebrare la migliore ergonomia, audace sintesi dell'elemento acqua, attraverso un gesto fortemente espressivo: la cartuccia a immersione totale Nobili Widd® è garanzia di assoluta affidabilità e massima sostenibilità ambientale.



Responsibility, the compass that guides the production process: Blues promotes a zero-impact philosophy for the environment, with maximum water and energy savings. The mixer opens the cold water supply, preventing the boiler's activation, which leads to the release of combustion fumes into the atmosphere.

Responsabilità, bussola che orienta il processo produttivo: Blues promuove una filosofia a impatto zero per l'ambiente, nel segno del massimo risparmio idrico ed energetico. Il miscelatore apre l'erogazione in acqua fredda, evitando l'accensione della caldaia e l'immissione di fumi di combustione nell'atmosfera.

WASHBASIN SIZE S, LAVABO TG. S



Eco single control
Monocomando eco

01 BSH101118/1CR



Eco single control, PVC waste
Monocomando eco, scarico PVC

02 BSH101118/4CR



Eco single control, without waste
Monocomando eco, senza scarico

03 BSH101118/3CR



Single control
Monocomando

04 BSH101118/1CR

WASHBASIN SIZE M, LAVABO TG. M



Single control, without waste
Monocomando, senza scarico

05 BSH101118/3CR



Eco single control
Monocomando eco

06 BSH101148/1CR



Eco single control, PVC waste
Monocomando eco, scarico PVC

07 BSH101148/4CR



Eco single control, without waste
Monocomando eco, senza scarico

08 BSH101148/3CR

WASHBASIN SIZE L, LAVABO TG. L

BIDET



Single control
Monocomando

09 BSH101338/2CR



Eco single control
Monocomando eco

10 BSH101119/1CR



Eco single control, PVC waste
Monocomando eco, scarico PVC

11 BSH101119/4CR



Single control
Monocomando

12 BSH101119/1CR

BATH, VASCA



External single control, shower set
Monocomando esterno, set doccia

13 BSH10110CR



External single control
Monocomando esterno

14 BSH10110/1CR



Single control with deviator
Monocomando con deviatore

15 BSH10118/10CR



External single control
Monocomando esterno

16 BSH101130CR

SHOWER, DOCCIA



1 way flush-fit single control
Monocomando incasso a 1 via

17 BSH101108CR



2 ways flush-fit single control
Monocomando incasso a 2 vie

18 BSH101100CR

DUPLEX



Duplex with water connection
Duplex con presa acqua

21 AD146/56CR



Duplex
Duplex

22 AD144/7CR

SHOWER COLUMNS, COLONNE DOCCIA



Single control
Monocomando

25 BSH101130/30CR



Single control, telescopic rail
Monocomando, rampa telescopica

26 BSH101130/50CR

SHOWER HEAD, SOFFIONI



Shower arm, shower head ø 250 mm
Braccio doccia, soffione ø 250 mm

19 WESK007CR



Shower arm, shower head ø 130 mm
Braccio doccia, soffione ø 130 mm

20 AD138/40CR + AD139/140CR

CONNECTION, PRESA



Water connection
Presa acqua

23 AD150/12CR

SHOWER RAIL, ASTA MURALE



Shower rail
Asta murale

24 AD140/51CR

Single control
Monocomando

27 BSH101130/30BM

Single control, telescopic rail
Monocomando, rampa telescopica

28 BSH101130/50BM



Abc


Beginning and future



[Learn more](#)

Slow awakening, the gentle morning light, the embrace of a cool shower. Greeting the new day on a sailing boat, seduced by the scent of the sea, lulled by the breeze blowing towards infinity. Inner well-being with total respect for the environment: the Nobili Widd® immersion cartridge is a guarantee of absolute reliability and maximum sustainability.

Risveglio lento, la luce gentile del mattino, l'abbraccio di una doccia fresca. Un saluto al nuovo giorno in barca a vela, sedotti dal profumo del mare, cullati dalla brezza verso l'infinito. Benessere interiore nel totale rispetto ambientale: la cartuccia a immersione Nobili Widd® è garanzia di assoluta affidabilità e massima sostenibilità.



The era of maximum savings and environmental friendliness: Abc can optimise the Planet's resources, helping consumers to save water and energy every day by opening the flow to cold water, avoiding the unintentional activation of the boiler and the consequent release of combustion fumes into the atmosphere.

L'era del massimo risparmio e rispetto ambientale: Abc è capace di ottimizzare le risorse del Pianeta, aiutando il consumatore a risparmiare ogni giorno acqua ed energia, aprendo l'erogazione del flusso in acqua fredda, evitando l'accensione involontaria della caldaia e la conseguente immissione di fumi di combustione nell'atmosfera.



Eco single control
Monocomando eco

01 ABH87118/1CR



Eco single control, without waste
Monocomando eco, senza scarico

02 ABH87118/2CR



Single control
Monocomando

03 AB87118/1CR



Single control, without waste
Monocomando, senza scarico

04 AB87118/2CR



3-hole set
Batteria 3 fori

05 AB87211/1CR



Eco single control
Monocomando eco

06 ABH87148/1CR



Eco single control, without waste
Monocomando eco, senza scarico

07 ABH87148/2CR



Eco single control
Monocomando eco

08 ABH87128/2CR



Single control
Monocomando

09 AB87128/2CR



Single control
Monocomando

10 AB87338/2CR



Single control, spout 150 mm
Monocomando, bocca 150 mm

11 AB87199CR + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

12 AB87199/1CR + WE00198



Single control, spout 150 mm
Monocomando, bocca 150 mm

13 AB87198CR + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

14 AB87198/1CR + WE00198



Eco single control
Monocomando eco

15 ABH87119/1CR



Single control
Monocomando

16 AB87119/1CR



External single control, shower set
Monocomando esterno, set doccia

17 AB87110CR



External single control
Monocomando esterno

18 AB87110/1CR



External thermostatic mixer, shower set
Termostatico esterno, set doccia

19 AB87010CR



External thermostatic mixer
Termostatico esterno

20 AB87010/1CR



Single control
Monocomando

21 WEBK110/9ABCR



Single control
Monocomando

22 WEBK110/6ABCR



External single control
Monocomando esterno

23 AB87130CR



External thermostatic mixer
Termostatico esterno

24 AB87030CR



1 way flush-fit single control
Monocomando incasso a 1 via

25 AB87108CR



2 ways flush-fit single control
Monocomando incasso a 2 vie

26 AB87100CR



Shower arm, shower head \varnothing 250 mm
Braccio doccia, soffione \varnothing 250 mm

27 WESK007CR



Shower arm, shower head \varnothing 130 mm
Braccio doccia, soffione \varnothing 130 mm

28 AD138/40CR + AD139/140CR



Duplex with water connection
Duplex con presa acqua

29 AD146/56CR



Duplex
Duplex

30 AD144/7CR



Water connection
Presa acqua

31 AD150/12CR



Shower rail
Asta murale

32 AD140/51CR



Eco single control
Monocomando eco

01 ABH87118/1BM



Eco single control, without waste
Monocomando eco, senza scarico

02 ABH87118/2BM



Single control
Monocomando

03 ABH87118/1BM



Single control, without waste
Monocomando, senza scarico

04 ABH87118/2BM



3-hole set
Batteria 3 fori

05 ABH8721/1BM



Eco single control
Monocomando eco

06 ABH87148/1BM



Eco single control, without waste
Monocomando eco, senza scarico

07 ABH87148/2BM



Eco single control
Monocomando eco

08 ABH87128/2BM



Single control
Monocomando

09 ABH87128/2BM



Single control
Monocomando

10 ABH87338/2BM



Single control, spout 150 mm
Monocomando, bocca 150 mm

11 ABH87199BM + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

12 ABH87199/1BM + WE00198



Single control, spout 150 mm
Monocomando, bocca 150 mm

13 ABH87198BM + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

14 ABH87198/1BM + WE00198



Eco single control
Monocomando eco

15 ABH87119/1BM



Single control
Monocomando

16 ABH87119/1BM



External single control, shower set
Monocomando esterno, set doccia

17 ABH87110BM



External single control
Monocomando esterno

18 ABH87110/1BM



External thermostatic mixer, shower set
Termostatico esterno, set doccia

19 ABH87010BM



External thermostatic mixer
Termostatico esterno

20 ABH87010/1BM



Single control
Monocomando

21 WEBK110/9ABBM



Single control
Monocomando

22 WEBK110/6ABBM



External single control
Monocomando esterno

23 ABH87130BM



External thermostatic mixer
Termostatico esterno

24 ABH87030BM



1 way flush-fit single control
Monocomando incasso a 1 via

25 ABH87108BM



2 ways flush-fit single control
Monocomando incasso a 2 vie

26 ABH87100BM



Shower arm, shower head ø 250 mm
Braccio doccia, soffione ø 250 mm

27 WESK007BM



Shower arm, shower head ø 130 mm
Braccio doccia, soffione ø 130 mm

28 AD138/40BM + AD139/140BM



Duplex with water connection
Duplex con presa acqua

29 AD146/56BM



Duplex
Duplex

30 AD144/8BM



Water connection
Presa acqua

31 AD150/12BM



Shower rail
Asta murale

32 AD140/51BM



Sand

Zero emission



[Learn more](#)

Simple, linear architecture: pastel tones liven up the home environment. Water splashing on the face reconciles us with the world: the sun beckons, the beach awaits. A modern and linear dress dresses the highest technological avant-garde: the Nobili Widd® total immersion cartridge is a guarantee of absolute reliability and maximum sustainability.

Architettura semplice e lineare: rilassanti toni pastello vivacizzano l'ambiente domestico. L'acqua sul viso riconcilia con il mondo: il sole chiama, la spiaggia attende. Un abito moderno e lineare veste la più elevata avanguardia tecnologica: la cartuccia a immersione totale Nobili Widd® è garanzia di assoluta affidabilità e massima sostenibilità.



Sand's elegant, modern style is at home in any architectural setting. Its technology is at the service of the Planet: it helps to save water and energy every day by opening the flow to cold water, avoiding the unintentional activation of the boiler, which leads to the emission of combustion fumes into the atmosphere.

Lo stile elegante e moderno di Sand è a proprio agio in ogni contesto architettonico. La sua tecnologia è al servizio del Pianeta: aiuta a risparmiare ogni giorno acqua ed energia aprendo l'erogazione del flusso in acqua fredda, evitando l'accensione involontaria della caldaia e la conseguente immissione di fumi di combustione nell'atmosfera.

WASHBASIN SIZE S, LAVABO TG. S



Eco single control
Monocomando eco

01 SAH99118/1CR



Eco single control, without waste
Monocomando eco, senza scarico

02 SAH99118/2CR



Eco single control
Monocomando eco

03 SAH99128/2CR



Single control
Monocomando

04 SA99338/2CR

BIDET



Eco single control
Monocomando eco

05 SAH99119/1CR

BATH, VASCA



External single control, shower set
Monocomando esterno, set doccia

06 SA99110CR



External single control
Monocomando esterno

07 SA99110/1CR



External single control
Monocomando esterno

08 SA99130CR

SHOWER, DOCCIA



1 way flush-fit single control
Monocomando incasso a 1 via

09 SA99108CR



2 ways flush-fit single control
Monocomando incasso a 2 vie

10 SA99100CR



Shower arm, shower head ø 250 mm
Braccio doccia, soffione ø 250 mm

11 WESK007CR



Shower arm, shower head ø 130 mm
Braccio doccia, soffione ø 130 mm

12 AD138/40CR + AD139/140CR

SHOWER HEAD, SOFFIONI

DUPLEX



Duplex with water connection
Duplex con presa acqua

13 AD146/56CR



Duplex
Duplex

14 AD144/7CR

CONNECTION, PRESA



Water connection
Presa acqua

15 AD150/12CR

SHOWER RAIL, ASTA MURALE



Shower rail
Asta murale

16 AD140/51CR



Sky

A new perspective



[Learn more](#)

The serenity of the blue sky, the power of nature's colours. The changeability of a passing cloud, the scent of a memory. Reflections in a mirror, feeling part of the world. The dual stylistic personality of the single control wash basin fully reflects the advanced know-how of our brand, a leader in innovation and technological efficiency.

La serenità del cielo azzurro, la forza dei colori della natura. La mutevolezza di una nuvola passeggera, il profumo di un ricordo. Riflessi in uno specchio, sentirsi parte del mondo. La duplice personalità stilistica del lavabo monocomando riflette compiutamente l'avanzato know-how del nostro brand, leader per innovazione ed efficienza tecnologica.



Eclectic style, strong personality, green soul. Sky conquers all, thanks to technological efficiency at the total service of the Earth: it helps to save water and energy every day by opening the flow of cold water, avoiding the unintentional switching on of the boiler and the consequent release of combustion fumes into the atmosphere.

Stile eclettico, personalità decisa, anima green. Sky conquista tutti, merito di una efficienza tecnologica a totale servizio del Pianeta: aiuta a risparmiare ogni giorno acqua ed energia aprendo l'erogazione del flusso in acqua fredda, evitando l'accensione involontaria della caldaia e la conseguente immissione di fumi di combustione nell'atmosfera.

WASHBASIN SIZE S, LAVABO TG. S



Eco single control
Monocomando eco

01 SYH97118/1CR



Eco single control, without waste
Monocomando eco, senza scarico

02 SYH97118/2CR



Single control
Monocomando

03 SY97116/1CR

WALL-MOUNTED WASHBASIN, LAVABO A PARETE



Single control, spout 150 mm
Monocomando, bocca 150 mm

04 SY97199CR + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

05 SY97199/1CR + WE00198



Single control, spout 150 mm
Monocomando, bocca 150 mm

06 SY97198CR + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

07 SY97198/1CR + WE00198

BIDET



Eco single control
Monocomando eco

08 SYH97119/1CR



External single control, shower set
Monocomando esterno, set doccia

09 SY97110CR



External single control
Monocomando esterno

10 SY97110/1CR



External thermostatic mixer, shower set
Termostatico esterno, set doccia

11 SY97010CR

SHOWER, DOCCIA



External thermostatic mixer
Termostatico esterno

12 SY97010/1CR



External single control
Monocomando esterno

13 SY97130CR



1 way flush-fit single control
Monocomando incasso a 1 via

14 SY97108CR



2 ways flush-fit single control
Monocomando incasso a 2 vie

15 SY97100CR

SHOWER HEAD, SOFFIONI



Shower arm, shower head ø 250 mm
Braccio doccia, soffione ø 250 mm

16 WESK007CR



Shower arm, shower head ø 130 mm
Braccio doccia, soffione ø 130 mm

17 AD138/40CR + AD139/140CR

DUPLEX



Duplex with water connection
Duplex con presa acqua

18 AD146/56CR



Duplex
Duplex

19 AD144/7CR

CONNECTION, PRESA



Water connection
Presa acqua

20 AD150/12CR

SHOWER RAIL, ASTA MURALE



Shower rail
Asta murale

21 AD140/51CR



New Road

The first one



[Learn more](#)

A bathroom environment with a totally sustainable soul. An intimate and reserved space, where peace and tranquillity live in harmony with the most sincere inner well-being. The incredible water and energy saving features of the Nobili Widd® total immersion cartridge are an unequivocal symbol of our greatest passion: technological innovation.

Un ambiente bagno dall'anima totalmente sostenibile. Uno spazio intimo e riservato, dove pace e tranquillità vivono in armonia con il più sincero benessere interiore. L'incredibile risparmio idrico ed energetico della cartuccia a immersione totale Nobili Widd® è simbolo inequivocabile della nostra più grande passione: l'innovazione tecnologica.



The first environmentally-friendly, award-winning mixer, a universal icon of sustainability: New Road optimises the Planet's resources, helping to save water and energy by opening the flow to cold water, preventing the unintentional activation of the boiler that leads to the release of combustion fumes into the atmosphere.

Il primo miscelatore rispettoso dell'ambiente, pluripremiato, icona universale di sostenibilità: New Road ottimizza le risorse del Pianeta, aiutando a risparmiare acqua ed energia aprendo l'erogazione del flusso in acqua fredda, evitando l'accensione involontaria della caldaia e la conseguente immissione di fumi di combustione nell'atmosfera.



Eco single control
Monocomando eco

01 RDH00118/1CR



Eco single control, without waste
Monocomando eco, senza scarico

02 RDH00118/2CR



Single control, cascade spout
Monocomando, bocca cascata

03 RDC0118/2CR



Single control, long spout
Monocomando, bocca lunga

04 RDH00118/20CR



Eco single control
Monocomando eco

05 RDH00158/2CR



Single control, cascade spout
Monocomando, bocca cascata

06 RDC0158/2CR



Eco single control
Monocomando eco

07 RDH00128/2CR



Single control, cascade spout
Monocomando, bocca cascata

08 RDC0128/2CR



Single control
Monocomando

09 RDO0338/2CR



Single control, spout 150 mm
Monocomando, bocca 150 mm

10 RDO0199CR + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

11 RDO0199/1CR + WE00198



Single control, spout 150 mm
Monocomando, bocca 150 mm

12 RD00198CR + WE00198



Single control, spout 200 mm
Monocomando, bocca 200 mm

13 RDO0198/1CR + WE00198



Eco single control
Monocomando eco

14 RDH00119/1CR



External single control, shower set
Monocomando esterno, set doccia

15 RD00110CR



External single control
Monocomando esterno

16 RD00110/1CR



External thermostatic mixer, shower set
Termostatico esterno, set doccia

17 RD00410CR



External thermostatic mixer
Termostatico esterno

18 RD00410/1CR



Single control with deviator
Monocomando con deviatore

19 RD00118/10CR



1 way flush-fit single control
Monocomando incasso a 1 via

20 RD00130CR



1 way flush-fit single control
Monocomando incasso a 1 via

21 RD00108CR



2 ways flush-fit single control
Monocomando incasso a 2 vie

22 RD00100CR



Shower arm, shower head ø 250 mm
Braccio doccia, soffione ø 250 mm

23 WESK007CR



Shower arm, shower head ø 130 mm
Braccio doccia, soffione ø 130 mm

24 AD138/40CR + AD139/140CR



Water connection
Preso acqua

27 AD150/12CR



Shower rail
Asta murale

28 AD140/51CR



Duplex with water connection
Duplex con presa acqua

25 AD146/56CR



Duplex
Duplex

26 AD144/7CR



Shower rail with water connection
Asta murale con presa acqua

29 AD140/28CR



Grid for floor, 70 cm
Canalina doccia, 70 cm

30 AVGR04/07CR + AVCDA/07

Carlo Nobili Rubinetterie

Via Novara 29
28019 Suno (No) Italia
nobili.it

Creative direction

Marco Venzano
Cecilia Giordano



Print product

climate contribution

ClimatePartner.com/23447-2412-1002



Sustainable wonders: we define it as «sustainability by design», a virtuous circle in which the production approach cannot be separated from the environmental approach. This is why we have joined Climate Partner, making a concrete contribution to climate improvement projects.

Meraviglie sostenibili: in Nobili lo definiamo «sustainability by design», un circolo virtuoso in cui non è possibile scindere l'approccio produttivo dall'approccio ambientale. Per questo abbiamo aderito a Climate Partner contribuendo in modo concreto a progetti di miglioramento climatico.

ENNE
di NOBILI



8 018014 238748

ACATAENNE / March 2025 / We invest resources in the continuous improvement of the product and of processing methods. The catalogue may contain articles subject to modifications. Due to the printing technique, the colours shown above may vary from the true colour of the finish. Before submitting an order, consult our sales network.