SAFETY DATA SHEET

CARE Etiketten- und Kleberesteentferner

Gemäß (EG) Nr. 1907/2006-ISO 11014-1
Version 1.0 I Überarbeitet am 09.11.2026

SECTION 1; IDENTIFICATION OF THE SUBSTANCES/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	CARE Etiketten-u. Klebereste Entferner 500ml
Product No.	CAREETIEX
UFI:	QUJ6-KDHY-TN8Y-XSPK

1.2. Relevant identified uses of the substances or mixture and uses advised against

Identified uses	Cleaner Spray

1.3. Details of the supplier of the data sheet

Supplier	CONEL GmbH Margot-Kalinke-str 9 80939 München Deutschland +49 089 31868780 info@conel-gmbh.de

Emergency telephone number

+49 (0) 551 19240 GIZ Nord

SECTION 2; HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards	Extremely flammable aerosol.- H222; H229
Human health	H315 Skin Irrit 2
	H317 Skin Sens 1
	H304 Asp Tox 1
	H336 STOT SE 3
Environmental hazards	H410 Aquatic Chron 1

The full text for all Hazard Statements is displayed in Section 16.

2.2 Label Elements

Label in Accordance with (EC) No. 1272/2008

Contains: Orange terpenes
Naphtha (Petroleum)
2-propanone



Signal word` **Danger**

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurized container: may burst if heated
H315 Causes skin irritation.
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources– No Smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P261 Avoid breathing vapour/spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well ventilated
P280 Wear protective gloves/protective clothing/eye protection/face protection

Supplementary precautionary statements

P273 Avoid release to the environment.
P331 Do NOT induce vomiting
P301+310 IF SWALLOWED: immediately call a poison centre, or a doctor/physician
P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.
P302+352 IF ON SKIN: Wash with plenty of water.
P333+313 If skin irritation or rash occurs: Get medical advice/attention.

P337+313 If eye irritation persists: Get medical advice/attention.
P410+412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501 Dispose of contents/container in accordance with local Regulations.

Supplement label information

2.3. Other hazards

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not pierce or burn even after use. Do not spray on naked flame or any incandescent material – NO SMOKING.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

PETROLEUM GASES LIQUIFIED CAS- No: 68476-85-7 Classification (EC 1272/2008) Flam. Gas 1 – H220	EC No: 270-704-2	25-40%
ORANGE TERPENES CAS No: 68647-72-3 Classification (EC 1272/2008) Flam Liqu 3 – H226 Asp Tox 1 – H304 Skin Irrit 2 – H315 Skin Sens 1 – H317 Aquatic Chron 1 – H410	EC No: 232-433-8	25-40%
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY CAS No: 64742-48-9 Classification (EC 1272/2008) Flam Liqu 3 – H226 Asp Tox 1 – H304 STOT SE 3 – H336	EC No: 265-150-3	15-20%
2-PROPANONE CAS No: 67-64-1 Classification (EC 1272/2008) Flam Liqu 2 – H225 Eye Irrit 2 – H319 STOT SE 3 – H336	EC No: 200-662-2	≤4%

The full text for all hazard statements is displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

DO NOT induce vomiting. Rinse mouth with water. Get prompt medical attention.

Skin contact

Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.
Repeated skin contact may result in irritation and dermatitis. Always wear protective gloves suitable for this product.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risk of lung aspiration due to low viscosity of product

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Extinguishing media

Fire can be extinguished using: foam; carbon dioxide; dry powder or other inert material. Do not use high pressure water jet because this may spread the fire.

5.2 Special hazards arising from the substance or mixture

Unusual fire & Explosion hazards

Aerosol cans may explode in fire.

Carbon Oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for fire-fighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment. Avoid breathing vapours. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to a safe area.

6.2 Environmental precautions

Discharge into the environment must be avoided. Do not allow to enter drains.

6.3 Methods and material for containment and cleaning up

Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Let evaporate. Keep out of confined spaces because of explosion risk. If leakage cannot be stopped, evacuate area.

6.4 Reference to other sections

Wear protective clothing as described in section 8 of this safety data sheet. Avoid inhalation of vapour or mist; avoid contact with skin or eyes.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

7.2. Conditions for safe storage, including any incompatibilities

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C/122°F

7.3 Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

	STD	TWA – 8 Hrs		STEL – 15 Min		Notes
PETROLEUM GASES LIQUIFIED	WEL	1,000 ppm	1,750 mg/m³	1,250 ppm	2,180 mg/m3	UK EH40 WEL
2-PROPANONE	WEL	1,500 ppm	3,620 mg/m³	500 ppm	1,210 mg/m3	UK EH40 WEL

WEL = Workplace exposure limit.

Derived No Effect Level (DNEL).

2-propanone (67-64-1)

Type	Exposure Route	Derived No effect Level	Safety Factor
Long Term Systemic health effects Worker	Dermal	186 mg/kg bw/d	
Short Term Local Health effects Worker	Inhalation	2420 mg/m³	
Long Term Systemic health effects Worker	Inhalation	1210 mg/m³	

2-propanone (67-64-1)

Type	Exposure Route	Derived No effect Level	Safety Factor
Long Term Systemic health effects Consumer	Inhalation	200 mg/m³	
Short Term Local Health effects Consumer	Dermal	62 mg/kg bw/d	
Long Term Systemic health effects Consumer	Oral	62 mg/kg bw/d	

Predicted No effect Concentration (PNEC)

2-propanone (67-64-1)

Environmental Compartment	Predicted No effect Concentration (PNEC)
Freshwater	10.6 mg/l
Freshwater - intermittent	21 mg/l
Marine water	1.06 mg/l

Microorganisms in sewage treatment	100 mg/l
Freshwater sediment	30.4 mg/kg dry weight
Marine water	3.04 mg/kg dry weight
Soil	29.5mg/kg dry weight

8.2 Exposure controls

Protective equipment



Engineering measures

Provide adequate general and local exhaust ventilation.

Respiratory equipment

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Use respirators and components tested and approved under appropriate government standards such as CEN (EU).

Hand protection

Use protective gloves. These should satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it

Eye protection

Wear splash proof goggles to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

Other protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

(a) Physical State	Liquid
(b) Appearance	Canister/Aerosol.
(c) Colour	Clear
(d) Odour	Faintly citrus
(e) Odour Threshold	No data available
(f) Melting point/freezing point	No data available
(g) Initial boiling point and boiling range	Not applicable - aerosol
(h) Flammability (solid gas)	Not applicable for liquids
(i) Upper/lower flammability	
Or explosive limits	No data available
(j) Flash Point	Not applicable – aerosol
(k) Auto-ignition temperature	No data available
(l) Decomposition temperature	Not applicable – insoluble in water
(m) pH as gaseous solution	No data available
(n) Kinematic Viscosity	No data available
(o) Dynamic Viscosity	No data available
(p) Water solubility	No data available
(q) Solubilities	No data available
(r) Partition coefficient	No data available
(s) Vapour pressure	No data available
(t) Relative density	0.8
(u) Relative Vapour Density	No data available
(v) Particle characteristics	
Particle Size	No data available
Particle size distribution	No data available

9.2 Other information

Can pressure 70psi.

9.2.1 Information with regards to physical hazards classes

Not applicable

9.2.2 Other safety characteristics

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Avoid heat, flames and other sources or ignition.

10.5 Incompatible materials

Materials to avoid

Strong acids, strong oxidising substances and strong alkalis. All sources of ignition.

10.6 Hazardous decomposition products

Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

ORANGE TERPENES

Acute toxicity

LD50Oral-Rat-male-> 5,000 mg/kgLD50Dermal-Rabbit-female-> 5,000 mg/kg

Skin corrosion/irritation

Skin-RabbitResult: Irritating to skin.(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes-RabbitResult: No eye irritation(OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Mouse

Mouse lymphoma cells

Result: negative

Carcinogenicity

IARC:No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity -single exposure

No data available

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: RI8600000

NAPHTHA (PETROLEUM) HYDROTREATED HEAVY

Acute oral toxicity

LD50Rat: > 5,000 mg/kgOECD Test Guideline 401

Acute inhalation toxicity

LC50Rat: > 5 mg/l; dust/mistOECD Test Guideline 403

Acute dermal toxicity

LD50Rabbit: > 5,000 mg/kgOECD Test Guideline 402

Skin irritation

Repeated exposure may cause skin dryness or cracking.

Eye irritation

This information is not available.

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Additional information

No data available

2-PROPANONE

Acute toxicity

LD50Oral-Rat-female-5,800 mg/kg

Remarks: (ECHA)

LC50Inhalation-Rat-4 h-76 mg/l

Remarks:

Unconsciousness Drowsiness Dizziness

LD50Dermal-Rabbit-20,000 mg/kg

Remarks: (IUCLID)

Skin corrosion/irritation

Skin-RabbitResult: Mild skin irritation-24 h(Draize Test)

Remarks: (RTECS)

Serious eye damage/eye irritation

Eyes-RabbitResult: Eye irritation-24 h(Draize Test)

Remarks: (RTECS)Risk of corneal clouding.

Respiratory or skin sensitisation

Maximisation Test-Guinea pig

Result: negative

Remarks: (ECHA)Chronic exposure may cause dermatitis.

Germ cell mutagenicity

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells

Result: negative

Ames test

Salmonella typhimuriumResult: negative

In vitro mammalian cell gene mutation test

Mouse lymphoma test

Result: negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC:No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity -single exposure

May cause drowsiness or dizziness.

Acute oral toxicity-Stomach/intestinal disorders, Risk of aspiration upon vomiting.,

Pulmonary failure possible after aspiration of vomit.

Acute inhalation toxicity-mucosal irritations

Specific target organ toxicity -repeated exposure

No data available.

Aspiration hazard

No data available

Additional Information

RTECS: AL3150000

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Assessment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
RTECS: AL3150000
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

11.2.2 Other Information

Other adverse effects: No information available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

This product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful effect upon the environment.

12.1 Toxicity

ORANGE TERPENES

No data available

NAPHTHA (PETROLEUM) HYDROTREATED HEAVY

Toxicity to fish (Chronic toxicity)

NOECOncorhynchus mykiss (rainbow trout): 0.21 mg/l; 28 d

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)

NOECDaphnia magna (Water flea): 0.02 mg/l; 21 dOECD Test Guideline 211

2-PROPANONE

Toxicity to fish

Flow-through testLC50-Pimephales promelas (fathead minnow)-6,210 mg/l-96 h(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

Static testLC50-Daphnia pulex (Water flea)-8,800 mg/l-48 hRemarks: (ECHA)

Toxicity to algae

Static testNOEC-M.aeruginosa-530 mg/l-8 d(DIN 38412)Remarks: (maximum permissible toxic concentration)(IUCLID)

Toxicity to bacteria

Static testEC50-activated sludge-61.15 mg/l-30 min(OECD Test Guideline 209

12.2 Persistence and degradability

No data available

12.3 Bio accumulative potential

No data available.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission. Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Empty containers must not be burned because of explosion hazard.
Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1 UN Number

UN No. (ADR/RID/ADN)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950

14.2 UN proper shipping name

Proper shipping name AEROSOLS

14.3 Transport hazard class(es)

ADR/RID/ADN class 2.1

ADR/RID/ADN class	Class 2: Gases
ADR Label No	2.1
IMDG Class	2.1
ICAO Class/division	2.1
CEFIC TEC® No	20GSF
Air Class	2.1
UK Road Class	2.1
Transport labels	L.Q.



14.4 Packing Group

Not Applicable

14.5 Environmental Hazards

Dangerous for the environment	No
Marine pollutant	No
Other information	No supplementary information available

14.6 Special precautions for user

Overland Transport

Classification Code (ADR):	5F
Special Provisions (ADR):	190,327,344,625
Limited Quantities (ADR):	1l
Excepted Quantities (ADR):	E0
Packing Instructions (ADR):	P207,LP02
Special Packing provisions (ADR):	PP87, RR6, L2
Mixed Packing provisions (ADR):	MP9
Transport Strategy (ADR):	2
Special provisions for carriage – Packages (ADT)	V14
Special Provisions for carriage – Loading, unloading and handling (ADR):	CV9, CV12
Special provisions for carriage – Operation (ADR):	S2
Tunnel Restriction Code:	D

Transport by Sea

Special Provisions (IMDG):	63,190,277,327,344,959
Limited Quantities (IMDG):	SP277
Excepted Quantities (IMDG):	E0
Packing Instructions (IMDG):	P207,LP02
Special Packing provisions (IMDG):	PP87,L2
EmS-No (Fire):	F-D
EmS-No (Spillage):	S-U
Stowage category (IMDG):	None
Stowage and Handling (IMDG):	SW1,SW22

Segregation (IMDG):	SG69
MFAG-No:	126
Air Transport	
PCA Excepted Quantities (IATA):	E0
PCA Limited Quantities (IATA):	Y203
PCA Limited Quantity max net quantity (IATA):	30KgG
PCA Packing instructions (IATA):	203
PCA max net quantity (IATA):	75Kg
CAO packing instructions (IATA):	203
CAO max net quantity (IATA):	150Kg
Special provisions (IATA):	A145,A167,A802
ERG Code (IATA):	10L
Inland Waterway Transport	
Classification Code (ADN):	5F
Special Provisions (ADN):	190,327,344,625
Limited Quantities (ADN):	1 L
Excepted Quantities (ADN):	E0
Equipment required (ADN):	PP,EX,A
Ventilation (ADN):	VE01,VE04
Number of blue cones/lights (ADN):	1
Rail Transport	
Classification Code (RID):	5F
Special Provisions (RID):	190,327,344,625
Limited Quantities (RID):	1L
Excepted Quantities (RID):	E0
Packing Instructions (RID):	P207,LP02
Special Packing provisions (RID):	PP87,RR6,L2
Mixed Packing provisions (RID):	MP9
Transport Category (RID):	2
Special Provisions for carriage – Packages (RID):	W14
Special Provisions for carriage – Loading, unloading and handling (RID):	CW9, CW12
Colis Express (express parcels) (RID):	CE2
Hazard Identification No (RID):	23

14.7 transport in bulk according to Annex II of MARPOL73/78 and the IBC code.

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Labelling according to Regulation (EC) No 1272/2008

The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health.

Approved code of practice.

Guidance notes

Workplace exposure limits EH40.

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions.

Contains no REACH Annex XIV substances.

15.1.2 National Regulations

No additional information available.

15.2 Chemical safety assessment

A chemical safety assessment was not carried out for this product,.

SECTION 16: OTHER INFORMATION

General information

This product should be used as directed. For further information consult the product data sheet or contact technical services.

Information sources

This safety data sheet was compiled using current safety information supplied by distributor raw materials.

Hazard Statements in full

H220	Extremely flammable gas
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations

Asp Tox 1	Aspiration Toxicity Category 1
Flam Aerosol 1	Flammable aerosol category 1
Eye Irrit 2	Eye Irritant Category 2
Skin Irrit 2	Skin irritant category 2
Asp Tox 1	Aspiration Toxicity category 1
Flam Gas 1	Flammable gas category 1
Flam Liqu 2	Flammab;e liquid category 2
Aquat Chron 1	Aquatic Toxicity Category 1
STOT SE 3	Specific Target Organ Toxicity Single Exposure Category 3
LC50	Lethal concentration 50%
LD50	Lethal Dose 50%
PBT	Persistent, Bioaccumulative and Toxic
vPvB	Very Persistent and Very Bioaccumulative